PTO/SB/08a (11-07)
Approved for use through 11/30/2007 OMB 0661-0031
U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE
uited brespond to a collection of information unless it contains a velid CMB control number Under the Paperwork Reduction Act of 1995, no persons are

bstitute for form 1449A/PTO Complete if Known Application Number 10/579,251 INPORMATION DISCLOSURE October 20, 2006 Filing Date STATEMENT BY APPLICANT First Named Inventor Luca Gianni Art Unit 1623 (Usas many sheets as necessary) Examiner Name Jonathan S. Lau Sheet of 1 13566.105020 Attorney Docket Number

		\	
		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the liter (book, magazine, journal, serial, symposium, catalog, etc.), date, pag-(s), volume-issue number(s), publisher, city and/or country where publisher.	T²
		Alexopoulus, "Phase II study of pegylated liposomal doxonolicin (Caelyx®) and docetaxed as first-line treatment in metastatic breast concer," Ann. Oncol., 2004, 15(6):891-5	
		Boranic et al., "A Parkinson-like Syndrome As Side offect of Chemotherapy with Vincristine and Adriamycin in a Child With Acute Leukeamia," Biomedicine, vol. 31(A), pp. 124-5, 1979	
		Gourley C. et al., "Malignant mixed Mesodernal Tumours - Biology and Clinical Aspects," European Journal of Carter, 2002, vol. 38, no. 11, pages 1437-1446	
		Halm et al., "A phase II study of pegy ated liposomal doxorubicin for treatment of advanced hepatocellular carcinopa," Ann. Oncol., 2000, 11(1):113-114	
		Hockman at al., "A phase I/II study of dose-escalated docetaxel given two weekly in combination with a fixed dose of G-CSF," European Journal of Cancer, vol. 37, page S76, Abstract 270, October 22, 2001	
		Lau et al., A Phase I and Dharmacokinetic Sudy of Ecteinascidin-743 (Yondelis) in Children vith Refractory Solid Tumors." Clinical Cancer Research, vol. 11, pp.672-677, Jan. 15, 2005	
		Puchalski et al., "Pharmacokinetics of Ecteinascidin 743 Administered as a 24-h Continuous Infravenous Infusion to Adult Patients with Soft Tissue Sarcomas associations with Clinical Characteristics, Pathophysiological Variables and Toxicity, Cancer Chemotherapy and Pharmacology, 2003, vol. 50, no. 4, pages 309-319	
		Sarosy et al., "Phase I Study of α2-interferon plus Doxorubicinin Patients with Solid Tumors," Cancer Research, vol. 46, pp. 5368-5371, 1986	
		Tyclves et al., "Phase I and pharmacokinetic study of YondelisTM Ecteinascidin-743; ET-743) administered as an infusion over 1 h or 3h every 21 days in patients with solid tumours," European Journal of Cancer, vol. 39, p. 1842-1851, 2003; available online August 14, 2003	
		Wollina, "Multicenter study of pegylated liposomal doxorubicin in patients with cutaneous T-cell lymphoma," Cancer 2003, 1:98(5):993-1001, published online July 24, 2003	_

Fxaminer /Jonathan Lau/ Date 12/15/2008 Considered	
--	--